

EPICS Also for Small and Medium Sized Experiments



Heinz Junkes, Fritz-Haber-Institut



raspPi-Zero W
on top of Fluke 287
True RMS Multimeter

Measurement @ 20 kV

- Raspberry Pi Zero W (802.11 b/g/n WLAN)
- Runs an EPICS IOC, on top of Fluke 287
- Communication with the device via Infrared Connector
- Battery of multimeter powers the IOC.




phoebus display

Small, but fine devices

- Operator interface with **phoebus**
- **ArchiverAppliance** monitors PV
- IOC configuration versioning with mercurial

Thanks to the main developers of EPICS :

A.N. Johnson, G. Shen, S. Veseli, Argonne National Laboratory, Lemont, Illinois
K. Shroff, Brookhaven National Laboratory, Upton, Long Island, New York
T. Korhonen, European Spallation Source ERIC, Lund, Sweden
M.G. Konrad, FRIB, East Lansing, Michigan
R. Lange, ITER Organization, St. Paul lez Durance, France
S.M. Hartman, K.U. Kasemir, Oak Ridge National Laboratory, Oak Ridge, Tennessee
M.A. Davidsaver, Osprey DCS LLC, Ocean City, Maryland
M.R. Kraimer, Osseo, Michigan
K. Kim, SLAC National Laboratory, Menlo Park, California



Devices @ facility

- Access control FHI campus
- Door controller based on Raspberry Pi 3
- Mifare, Wiegand card reader
- Runs an EPICS IOC
- Trainee project

- Management via Web interface
- Logging by rsyslog to Mongo db
- Administrative data and audit log in mysql db
- Operating states monitored by **alarmHandler** (alh)
- Gateway to building automation system (**BacNet**)
- IOC configuration versioning with mercurial




Devices @ industry

- Industrial PC based on the Raspberry Pi
- Slim DIN-rail housing
- 24V powered
- Industrial suitability to EN 61131-2


- Suitable I/O modules and fieldbus gateways
- Runs EPICS IOC with support for **asyn**, **modbus**, **BacNet**, ...
- IOC configuration versioning with mercurial

Equipment in "normal" research facilities

Default @ chemistry



- Read out temperature
- Read out pressure
- Control temperature (oven)
- Switch valves
- Interlock / machine protection
- Control / read out devices (GC, RGA, ...)
- Read out cameras



e.g. Video-LEED

e.g. SRS SR860 LockIn-Amplifier

asyn/IP with streamDevice

e.g. Terminalserver


asyn/ser. asyn/ser.





areadetector with GeniCam



Some what larger experiments



E.g. atomically resolved STM image of the vitreous silica film revealing the Si positions



- Fast data aquisition
- Tight synchronization
- High data rate
- Event driven
- High density I/O
- Very fast interlock / machine protection

